PRODUCT LINE CARD





PS ACCESS SOLUTIONS[™]: THE INS AND OUTS OF INDUSTRY

Just like everything else in industry, each door has its own important job. That's why each sale is so much more than just a one-time event. Instead, it's a process, one that begins with proper planning and continues with ongoing support. These long-term relationships are what set us apart. Our PS Access Solutions[™] include a complete line of industrial doors and hatches constructed specifically to withstand the abuses of industry and manufacturing. Each system is custom designed to fit your building, no matter the size or shape.

BUILDING VENTILATION

SLIDING ROOF HATCH (RFH)

Our industrial roof hatches are designed to withstand high winds and snow loads, ensuring an operable hatch in virtually all weather conditions. They are used for building ventilation and to control airflow. They may be manually operated or automated to interface with environmental control systems.

LOUVERS/DAMPERS (VNT)

Our ventilation systems are designed to help control building airflow, and our louver systems can be built in any size, shape and operation trajectory.



Wind Resistant Customizable





Minimizes Maintenance

100%

Customizable



ROOF HATCHES AND ACCESSORIES









HATCHSAFE° (HSF)

HatchSafe[®] is a full-perimeter railing system designed to protect your roof hatch opening. It includes a self-closing safety gate and our integrated HatchGrip[®] grab bars.

HATCHGRIP (HTG)

HatchGrip provides ladder extension grips that extend beyond your roof hatch. These horizontal rungs ensure a firm, stable grip for employees exiting and entering a roof hatch.

HATCHES

ACCESS HATCH (ACH)

This customizable hatch/inspection door is built specifically for the mining, oil, gas and power industries. Its low-profile frame is ideal for conveyors, refineries, blade changeouts and mines. Available in seven stock sizes or in a custom size.

CUSTOM HATCHES

(ACH)

Rely on PS Access Solutions to manufacture a hatch to meet your needs. Custom sizing and finishes are available for unique openings and environments.







100% Durable Construction Customizable

Pressure Rated Hatch



SLIDEWISE Roof Hatch



(SRH)

Aerodynamic Slidewise[™] technology sets this roof hatch apart. Unlike traditional tip-up hatches, a Slidewise Roof Hatch opens horizontally and is unaffected by wind. That means it lasts longer, operates more easily and keeps your people safe. Personnel can easily exit and enter the roof hatch in any weather without the hatch panel slamming open or closed.







Strong, Stable Grip





Strong, Stable Grin



Simple Installatio







Radius Frame Hatch For Curved Surfaces



High Temperature **Rated Hatch**



Paired Access Hatch

INDUSTRIAL DOORS

SLIDING DOORS

(SLD)

Our sliding doors are designed specifically to withstand the abuses of industrial environments, especially the effects of positive and negative drafts. Single sliding or bi-part sliding door options are available.





YEAR WARRANTY

On All Industrial Sliding and Swing Door Products

SWING DOORS

(SWG)

Our swing doors are built to withstand rigorous industrial environments. These doors have a proven track record in power plants, mines, mills and manufacturing facilities. Available in single and paired swing variants.





SLIDING EGRESS DOORS

Designed to be an effective combination of both a swing and sliding door, the Sliding Egress Door truly provides facility owners with the best of both worlds. Operating in a sliding fashion during normal operations allows for easy accessibility in areas of negative pressure between rooms. In the case of an emergency, the Sliding Egress Door can swing outward to allow for an immediate exit.





MONORAIL DOORS

Monorail openings are exposed to high wind loads and are used for transporting heavy equipment in and out of your facility. Available in bi-part sliding and paired swing variants.



SPECIAL PURPOSE DOORS

For environments and applications that require customized solutions, PS Access Solutions designs and manufactures special purpose doors that ensure the safety of workers and the productivity of machines. Contact us to learn more.



PRESSURE RATED DOORS

Certain industries require doors that can handle positive and/or negative pressure that a normal door is not designed to handle. Whether you're malting or processing grains or chemicals, let PS Access Solutions build you a specific door for the pressures your process requires. Pressure doors can come in swing or sliding variants and are also available as access hatches.













PS SAFETY ACCESS[™]: WE WON'T LET YOU DOWN

Our PS Safety Access[™] product offering is a complete line of safety and fall-protection products that help keep employees safe and increase material handling efficiency. Simply put, our safety products are built to ensure that users get to go home each and every night after their work is done. These gates, hatches and doors provide barriers against the everyday workplace dangers that can injure personnel and hinder productivity.

MATERIAL HANDLING SOLUTIONS

Personnel Fall

Protection

SAFEMEZZ[®]

Our SafeMezz® line of industrial safety gates is made to protect workers on mezzanines or raised platforms, improving safety without compromising productivity.



Compliant



Controlled / Quiet Operation



SAFEMEZZ360 (SMZ)

SafeMezz360[™] is the all-angles way to protect your team on the mezzanine. This ANSI- and OSHA-compliant fallprotection product features Slam-Proof® technology to control speed, reduce noise and provide safety to the operator while the gate is closing. It includes a 5" safety toeboard and is available in single or double pallet widths.

MATERIAL HANDLING SOLUTIONS (CONTINUED)

SafeMezz® Vertical, Horizontal, Downward and Pallet Gates are rugged, practical and OSHA compliant. These gates open to allow you to forklift materials to your elevated space, then close to keep personnel safe from falls. The Vertical Gate is ideal for mezzanines with limited side room and deck space, the Horizontal Gate is perfect when headroom is limited and the Downward Gate is an excellent choice for buildings with limited side room or headroom. The Pallet Gate is ideal for material handling, warehousing and picking/packing areas.



Complia

Manual Or

SAFEMEZZ Vertical Gate (MGV)



SAFEMEZZ[®] Downward Gate (MGD)



The new PickSafe[™] Finger Gate is pushed open by a pallet, then durable springs allow it to self-close as the pallet clears the gate. It can utilize up to eight arms (and as few as one), with each arm of the gate operating independently from the others.







Automated Operation









Manual Or utomated Operatio







Solf-Clos





This self-closing, dual-gate system is designed to fit 3-inch columns. Simply forklift palletized material through the gates and back away.

TRAFFIC CONTROL & EQUIPMENT GUARDING



EDGESAFE[®]

Personnel Access Gate

Warn personnel about dangerous or off-limits areas with the EdgeSafe® Personnel Access Gate. This durable, floor-level gate swings bidirectionally (both ways) to allow pedestrians to enter or exit an access-restricted area. In addition, there is an 8.5" x 14" area to affix warning signage to the gate (signage not provided). Pictured with a Mounting Post Kit (sold separately).



(EPAGS)

(EPAS)

(EPAG)



Over One Million Cycle Tested





LADDER FALL PROTECTION



(LSG)



(LSGPS) (LSGPSD)

In addition to the single model, the new line includes the Posi-Stop model, available in both single and double configurations. These adjustable, Slam-Proof gates are the perfect solution when you don't have a regular railing or surface for a strike plate to stop or rest in place against. The double configuration is perfect for situations where side room is limited and the swing area of the gate needs to be minimized.





This single-arm model features a single bar for a discreet appearance, easier installation and a lower overall cost. As versatile as it is functional, this gate excels at protecting floor-level areas in which personnel and forklifts share the same traffic spaces, controlling a single access point in order for pedestrians to safely enter or exit restricted areas. This model is not to be used for fall protection.



EDGESAFF[®]

Pedestrian Awareness System

This system uses intense LED lights to alert forklift drivers to the presence of a pedestrians whenever someone activates the light beam sensor by walking past. It can be as simple as an individual post with a light beam or as complex as an archway with remote light sensors.



TRAFFIC CONTROL/EQUIPMENT GUARDING & MATERIAL HANDLING SOLUTIONS

Controlled / Quiet



US 10,907,314 & PATENTS PENDING

PATENT

(ESG AND ESGDBL)

Improve employee and customer safety the smart way by utilizing the EdgeSafe Smart Gate in your facility. With flexible sizing to fit virtually any situation, this gate is ideal for a variety of applications, including machine guarding, equipment protection, ground-level traffic/pedestrian control, area perimeter protection, loading docks and so much more.

Approved For

Fall Protectio

The Smart Gate lifts vertically 90 degrees (without pinch points), giving access to the restricted/protected area. Its Slam-Proof technology controls speed, reduces noise and provides safety to the operator while the gate is closing. In addition, each gate is designed with a lock-out feature to prevent unauthorized access. EdgeSafe Smart Gates are available in both single (48" to 156") and double (108" to 324") configurations. The double gates are well suited for low headroom and wide areas.







FLEXIBLE

SIZING

Adjusts To A Variety

Of Widths

"Operator" push button option (sold separately) allows the gate to be easily opened and closed with the simple push of a button.






This safety railing system is sold in starter packs (2 posts and 4 railing brackets), add-on packs (1 post and 4 railing brackets), a 2 pack of schedule 10 steel pipe (89" lengths) and toeboards, allowing you to customize the railing to meet your needs.



Swings Bidirectionally







(ESR)

The incredibly customizable EdgeSafe Safety Railing serves as the foundation for a complete safety system in your facility. By utilizing a universal, omnidirectional bracket, this safety railing is flexible enough to address almost any application from the top of the mezzanine to the ground level (unlike a typical straight or 90-degree railing) and adaptable enough to follow virtually any required angle.



TRAFFIC CONTROL/EQUIPMENT GUARDING & MATERIAL HANDLING SOLUTIONS (CONTINUED)

EDGESAFE[®] Safety Railing



Compliant



Adapts To Virtually Any Angle





New patent-pending EdgeHalt® Ladder Safety Gates are now the safest safety gates on the market. Their innovative Slam-Proof technology closes each gate in a quiet and controlled manner, extending the life of the gate. They have been tested to the OSHA, ANSI and Canadian COHS standards, and exceed the loading requirement by two times. Plus, their adjustable sizing not only makes installation simpler, but it also allows for a compact shipping box, reducing shipping costs.





Save On Shipping



Spring Guaran For Life Of Gate



OSHA, ANSI. & Canada COH





LADDER FALL PROTECTION (CONTINUED)



(ASG)

This one gate size is flexible enough to fit a large range of guardrail openings (18"-36"). Its guaranteed-for-life springs have been tested to exceed more than one million cycles. It is CE Marked and has been tested to the OSHA, ANSI and Canadian COHS standards, exceeding the loading requirement by two times. This gate comes with Slam-Proof technology to provide extra safety to the operator while the gate is closing. It controls speed, reduces noise and adds life to the gate.



Full Height Ladder Safety Gate

(LSGF)

The EdgeHalt Full Height Ladder Safety Gate is an OSHA- and ANSI-compliant swing gate system that is self-closing to ensure that protection is in place when it is needed most. It provides a 42" top rail, mid-rail and 5" safety toeboard for increased personnel protection.



Aluminum Ladder Safety Gate

(LSG)

The EdgeHalt Aluminum Ladder Safety Gate provides proven protection, minimizing the chances of a fall on elevated platforms. Corrosion resistant and lightweight, it is ideal for harsh environments, fits openings 18"-36" and meets ANSI and OSHA standards.

SAFETY GATE ACCESSORIES

LADDER SAFETY GATE STAND-OFF **MOUNTING SYSTEM** (LSG-STNDOFF)

This attachment creates increased platform space on the mezzanine edge and provides a steadying point for personnel to utilize when transitioning through the Ladder Safety Gate.

LADDER SAFETY GATE ADAPTER BRACKET

Compatible with the EdgeHalt Single or Full Height Ladder Safety Gate, this adapter bracket is used for unique mounting needs.



LOCK-OUT KIT (515083 A)

This kit allows for additional security to prevent unauthorized access to restricted areas, elevated platforms or mezzanines by locking the gate so that no one can pass through.










FLAT BAR ADAPTER BRACKET

ANGLE IRON ADAPTER BRACKET (AC-2206)



PS FLOOD BARRIERS™: SOLUTIONS THAT HOLD WATER

Flood concerns shouldn't erode your confidence. At PS Flood Barriers™, we learned about the incredible power of water firsthand during the Red River's devastating flood of 1997 in our hometown of Grand Forks, North Dakota. We've put those lessons to good use, and the resulting flood doors and flood barriers are much more than just protection against water; they are protection against fear. This allows you to do business with confidence, which in turn allows your business to thrive. We have a variety of passive, active and point-of-use-storage products available and can manufacture customized solutions to handle virtually every type of flooding situation.

PASSIVE FLOOD BARRIERS



AQUATRIGGER[®]

(BH-590) This pivotal flood protection solution self-stores flush with a walk/drive surface. It is AASHTO H-20/HS-20 load rated for large truck traffic, and if flooding occurs, the water's hydrostatic pressure causes the barrier to automatically pivot up, providing water protection up to 8 feet in height. In addition to being passively activated, this barrier can also be manually or electronically deployed.

AQUATRIGGER®

Self-Closing Flood Barrier (SCFB-570)

This unique design allows for a passive response to rising waters, protecting your facility from dangerous flooding. When flooding occurs, the barrier rises into position without human intervention, electricity or power. This barrier is triggered by the hydrostatic pressure of rising floodwater.

LARGE PIPE ADAPTER BRACKET (LP-2204) (FB-2205)

PS Flood Barriers™



Complian

Spring Guarantee For Life Of Gate





















Independent-Party Validated



Self-Stores, Pivots Open












Hydro1[®] Flood Doors are the most progressive products in the passive flood-protection market, serving as both floodprotection barriers and normal-use pedestrian doors. Always in place, the Hydro1 is a purpose-built flood door, not to be confused with repurposed hollow metal doors that fail to meet flood codes. Hydro1 Flood Doors feature the lowest leakage rate in the industry, with a unique one-piece perimeter gasket that creates a watertight seal without risking damage from users. All doors are 100% customizable in single or paired configurations. Hydro1 PD520 and PD522 have passed testing for Florida Product Approval, including the High Velocity Hurricane Zone (Miami-Dade and Broward counties). Select models are ADA compliant.



(HYDRO1-PD520) HYDRO1 Pedestrian Flood Door



HYDRO1 Fire Rated Flood Door



50% less leakage than the ANSI/ FM Approvals 2510-2020 4.3.3 standard: hardware included

Tested to 3- and 20-foot water protection heights **POINT-OF-USE-STORAGE BARRIERS**

Now from PS Flood Barriers (formerly products of ILC Dover), Flex-Gate® and Flex-Cover® flood barriers are constructed using a revolutionary combination of high-strength textiles and corrosion-resistant hardware. They can all be deployed in minutes by just one or two people. Plus, the point-of-use storage offered by these products is an important element in many flood protection strategies.



Point-Of-Use Storage Quick (I)

FLEX-GATE Bottom Deploy (FGBD)

This is a high-strength fabric wall that deploys vertically, rapidly providing flood protection around and between buildings, across doors of any size or in front of glass.

	Franklin Street Station
2	STAIRWELL CLOSED





IN-STOCK HYDRO1[®] FLOOD DOORS SHIP IN 3 DAYS OR LESS*

The in-stock Hydro1 Flood Door is a standard 3'x7' door panel and is sized to fit openings 40" to 41-1/2" wide and a minimum of 86" tall. It is a singleconfiguration pedestrian door with a right-hand reverse or left-hand reverse option. The Hydro1's patented design is easy to install, has undergone independent-party witness testing to the ANSI/FM Approvals 2510-2020 4.3.3 standard up to 8 feet of water protection and is ADA compliant.



Ships In 3 Days Or Less *

(HYDRO1-PD522 STOCK)

*Limited to stock on hand

FM CERTIFIED FLOOD DOORS

The FM APPROVED mark is recognized and respected worldwide. The certification instills confidence in the marketplace by certifying quality, technical integrity and product performance. The original Pedestrian Flood Door (PD-520), the original Mechanical Room Flood Door (PD-525) and the Fire Rated Flood Door (PD-522) have all been tested and passed the FM Approvals 2510 standard (ANSI 2510). Each product is available in single and paired configurations. *FM tested and approved to the FM2510 (2013) approval standard for flood abatement equipment.



Pedestrian Flood Door (PD-520)



Mechanical Room Flood Door (PD-525)



Fire Rated Flood Door (PD-522)



(FGS)

A high-strength, dry flood-proofing closure that can be deployed rapidly for flood mitigation of tunnels, doors or portals of any kind. It can fit openings of any shape, size or orientation.



Quick 100% Customizabl

FLEX-COVER Grate

(FCG)

An economical and reliable method of dry flood protection This high-strength inflatable device rapidly deploys to prevent for grates, this unit features a highly durable coated fabric flooding in a tunnel of any shape or size. It can also be used for other applications, including the prevention of flooding from cover that is built to withstand any water depth and shaped to fit any opening configuration. It can also be adapted for top-down water events or to partition tunnels to prevent the use on vertical ventilation shaft covers or louvers. Store movement of smoke, chemical/biological agents or people. directly beside the grate or nearby in our optional container.





ILS AND INTERNATIONAL

PATENTS

FLEX-GATE Side Deploy (FGSD) This product is made from high-strength fabric and deploys from the side. It can be installed around and between buildings, as well as across doors of any size or across window walls. *FM tested and approved to the FM2510 (2013) approval standard for flood

abatement equipment.



Formerly called the Flex-W





This is a high-strength flexible wall that can be deployed rapidly for flood protection of portals, road tunnels, vehicular entrances and other infrastructure.



FLEX-COVER®

Resilient Tunnel Plug _ (FCTP)

ACTIVE DEPLOYMENT BARRIERS

Requiring human intervention to deploy, these permanent flood barriers physically attach to the existing structure around the opening they are protecting. The infrastructure for these barriers stays in place at all times, and once fully deployed, these barriers are extremely effective at holding back floodwater. These types of barriers come in many different variations and can be engineered to withstand extremely high hydrostatic pressure loads. Their ability to be attached to the structure and easily deployed makes them cost-effective.

HYDRODEFENSE[®]

Flood Plank

(FP-530, FP-535)

Available in two models, the HydroDefense® Flood Plank[™] system provides flood protection in vertical increments of 6" (model FP-530) or 8" (model FP-535) planks. They are used by stacking planks on top of one another to build a watertight barrier. The FP-530 is ideal for medium flood loads (up to 8' high), while the FP-535 is ideal for heavier flood loads (up to 20' high). *FM tested and approved to the FM2510 (2013) approval

standard for flood abatement equipment.

HINGED FLOOD BARRIER

(Single HSS-550, Paired HSP-555)

This flood barrier is designed specifically for the height of water protection that you require. It is available in a single or paired swing configuration. It is similar to a swing door and is permanently installed at the opening.


VERTICAL LIFT FLOOD BARRIER (VL-580)

This unit provides powerful flood protection designed for unique opening applications. It is perfect for flood-proofing in areas where conventional swinging, sliding or lift-out barriers will not work.


SLIDING FLOOD BARRIER (HS-560)

This flood protection barrier is designed specifically for the height of flood protection you require. The barrier simply slides horizontally into place to cover your opening. It's stored at the opening for fast-acting deployment during flooding conditions.
















Point-Of-Use Storage





Point-Of-Use

Storage

Quick Deploymen 100% Customizable



ACTIVE DEPLOYMENT BARRIERS (CONTINUED)

LIFT-OUT FLOOD BARRIER (LO-510)

A rugged water stopper, this barrier provides flood protection at the time of need. It is installed in flooding conditions or stored away from the opening when flood risk is low. *FM tested and approved to the FM2510 (2013) approval standard for flood abatement equipment.



(EZD)


Available in two models, the EzDam® system is an excellent alternative to heavy and messy sandbags. Simply latch the barrier to the jambs in front of your door opening. It deploys in just 30 seconds. The new EzDam XL is the big brother to our easy-to-use, lift-out EzDam. It's ideal for larger openings like double doors, retaining walls and storefronts.

LOUVER COVER FLOOD BARRIER (LC)

This barrier provides fast flood protection to prevent floodwaters from entering through louvers/windows of any size. It can be deployed quickly by one person. It's available in three-sidedframe and four-sided-frame configurations. The three-sided configuration provides protection up to the top of the louver, and the four-sided option is ideal for circumstances where floodwaters are expected to reach levels above the louver.

SPILL CONTAINMENT BARRIERS

Spill containment barriers from PS Flood Barriers are excellent for industrial applications where spills can become a hazard. Our AquaTrigger barriers, EzDam and Flood Plank systems are custom designed to prevent water, chemical spills or sprinkler releases from spreading throughout your facility or harming the environment.

















100% Customizable







Simple Installation



100% Customizable Quick Deployment



HATCHES

FLOOD HATCH (FH-540)

This Flood Hatch is always in place, protecting underground utilities, tunnels and subway systems from flooding.







PS PUBLIC PROTECTION™: SAFETY FROM THE UNEXPECTED

We are the industry leader in manufacturing customized doors, hatches and barriers that serve to mitigate unforeseen risks to your business or residence, both from nature and humans. We work closely with customers to engineer and tailor products that protect people and property from unexpected emergencies and threats. The list of door, hatch and barrier solutions we manufacture is as unique as the risks they are built to address, including, but not limited to, ballistic threats, such as bullet-resistant doors for school or universities; extreme winds, including tornado-proof hatches for shelters or safe rooms; and natural disasters, with hurricane-resistant doors made especially for hurricane-prone areas, including Florida's Miami-Dade and Broward counties. Doomsday may come in many shapes and sizes, but with our help, you can be ready.





877.446.1519 | psindustries.com | 4psinfo@psindustries.com 1150 South 48th Street | Grand Forks, ND 58201